

# Information Guide: The GSM Character Set

Version: **29.1**

Publication date: **2nd January 2025**



## Kapow SMS Gateway

All content herein including images, text and the Kapow logo is subject to copyright © and belongs to Kapow, the UK's first SMS Gateway. This document may not be distributed or reproduced without express consent and/or permission from Kapow. Any unauthorised distribution of this document disseminated in print, electronic or any other format is prohibited.

**Copyright © 2025 Cygnet Internet Services Ltd.**

### **Head Office**

**Kapow**

**Cygnet Internet Services Ltd**

Kemp House  
124 City Road  
London  
EC1V 2NX

t - **020 71 835 835**

f - **020 71 836 836**

e - [\*\*info@kapow.co.uk\*\*](mailto:info@kapow.co.uk)

### **Sales**

US Sales (Manhattan, NY): **+1 212 913 0553**

## SMS Characters

SMS is part of the GSM protocol. The supported characters are shown in the table below.

Please ask your Account Manager for further details.

DEC HEX	0 00	16 10	32 20	48 30	64 40	80 50	96 60	112 70
0 0	@	Δ	space	0	i	P	ç	p
1 1	£	_	!	1	A	Q	a	q
2 2	\$	Φ	"	2	B	R	b	r
3 3	¥	Γ	#	3	C	S	c	s
4 4	è	Λ	α	4	D	T	d	t
5 5	é	Ω	%	5	E	U	e	u
6 6	ù	Π	&	6	F	V	f	v
7 7	ì	Ψ	'	7	G	W	g	w
8 8	ò	Σ	(	8	H	X	h	x
9 9	ç	Θ	)	9	I	Y	i	y
10 A	LF	Ξ	*	:	J	Z	j	z
11 B	Ø	<ESC>	+	;	K	Ä	k	ä
12 C	ø	Æ	,	<	L	Ö	l	ö
13 D	CR	œ	-	=	M	Ñ	m	ñ
14 E	Å	ß	.	>	N	Ü	n	ü
15 F	å	É	/	?	O	§	o	à